

**ventilated facade**

# **VMB-BZ1.1**

Aluminium composite material,  
aluminium & steel cassettes

concealed fixed with  
bolts on 1-layer


**SPIDI® max**

**metal subconstruction**

contents:

VMB-BZ1.1-1.01	system overview - detail
VMB-BZ1.1-1.02	tolerance compensation (fixed/sliding point)
VMB-BZ1.1-2.01	general section horizontal
VMB-BZ1.1-2.02	general section vertical
VMB-BZ1.1-2.03	window lintel - section vertical
VMB-BZ1.1-2.04	window sill - section vertical
VMB-BZ1.1-2.05	window reveal - section horizontal
VMB-BZ1.1-2.06	parapet cladding - section vertical
VMB-BZ1.1-2.07	plinth - section vertical
VMB-BZ1.1-2.08	internal corner - section horizontal
VMB-BZ1.1-2.09	external corner - section horizontal

All installation works carried out on the job site must be performed according to the requirements of system suppliers!




- 1... building structure
- 2... SPIDI max Thermostop (premounted)
- 3... SPIDI max bracket
- 4... SPIDI max washer
- 5... fixing element (depending on wall condition)
- 6... insulation with insulation support
- 8... support profile (T-profile 60 mm width)
- 11... facade cladding

- C... profile distance
- e... brackets distance
- ea... cantilever


## VMB-BZ1.1-1.01 system overview - detail

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic illustration" This is NOT an installation manual or mounting instruction; it merely illustrates the product. This applies in particular to all graphic images. They serve as an example and do not represent any grounds for liability, warranty, or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. All installation works carried out on the job site must be performed according to the requirements of system suppliers! The product is subject to modifications due to technical progress. Misprints and errors reserved. Our General Terms and Conditions apply. (c) Slavonia Baubedarf GmbH.


TOLERANCE COMPENSATION



SLIDING POINT




FIXED POINT



SPIDI max brackets		SPIDI max brackets	
description	length L	description	length L
SPIDI max 65/80	65	SPIDI max 480/80	480
SPIDI max 85/80	85	SPIDI max 510/80	510
SPIDI max 110/80	110	SPIDI max 540/80	540
SPIDI max 135/80	135	SPIDI max 570/80	570
SPIDI max 160/80	160	SPIDI max 600/80	600
SPIDI max 170/80	170	SPIDI max 630/80	630
SPIDI max 185/80	185	SPIDI max 660/80	660
SPIDI max 210/80	210	SPIDI max 690/80	690
SPIDI max 240/80	240	SPIDI max 720/80	720
SPIDI max 270/80	270	SPIDI max 750/80	750
SPIDI max 300/80	300	SPIDI max 780/80	780
SPIDI max 330/80	330	SPIDI max 810/80	810
SPIDI max 360/80	360	SPIDI max 840/80	840
SPIDI max 390/80	390	SPIDI max 870/80	870
SPIDI max 420/80	420	SPIDI max 900/80	900
SPIDI max 450/80	450	special lengths	on demand

## VMB-BZ1.1-1.02 tolerance compensation (fixed/sliding point)

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic illustration" This is NOT an installation manual or mounting instruction; it merely illustrates the product. This applies in particular to all graphic images. They serve as an example and do not represent any grounds for liability, warranty, or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. All installation works carried out on the job site must be performed according to the requirements of system suppliers! The product is subject to modifications due to technical progress. Misprints and errors reserved. Our General Terms and Conditions apply. (c) Slavonia Baubedarf GmbH.




d... cladding height  
x... joint width

- 1... building structure
- 2... SPIDI max Thermostop (premounted)
- 3... SPIDI max bracket
- 4... SPIDI max washer
- 5... fixing element (depending on wall condition)
- 6... insulation with insulation support
- 7... ventilation
- 8... support profile (T-profile 60 mm width)
- 9... self-drilling screw
- 10... adapter for cassette mounting
- 11... facade cladding
- 12... self-drilling screw

## VMB-BZ1.1-2.01 general section vertical

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic illustration" This is NOT an installation manual or mounting instruction; it merely illustrates the product. This applies in particular to all graphic images. They serve as an example and do not represent any grounds for liability, warranty, or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. All installation works carried out on the job site must be performed according to the requirements of system suppliers! The product is subject to modifications due to technical progress. Misprints and errors reserved. Our General Terms and Conditions apply. (c) Slavonia Baubedarf GmbH.

# facade system




- |   |  |
|---|--|
| 1... building structure                           | 8... support profile (T-profile 60 mm width) |
| 2... SPIDI max Thermostop (premounted)            | 9... self-drilling screw                     |
| 3... SPIDI max bracket                            | 10... adapter for cassette mounting          |
| 4... SPIDI max washer                             | 11... facade cladding                        |
| 5... fixing element (depending on wall condition) | 12... self-drilling screw                    |
| 6... insulation with insulation support           | d... cladding height                         |
| 7... ventilation                                  | x... joint width                             |

## VMB-BZ1.1-2.02 general section horizontal

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic illustration" This is NOT an installation manual or mounting instruction; it merely illustrates the product. This applies in particular to all graphic images. They serve as an example and do not represent any grounds for liability, warranty, or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. All installation works carried out on the job site must be performed according to the requirements of system suppliers! The product is subject to modifications due to technical progress. Misprints and errors reserved. Our General Terms and Conditions apply. (c) Slavonia Baubedarf GmbH.

# facade system




- 1... building structure
- 2... SPIDI max Thermostop (premounted)
- 3... SPIDI max bracket
- 4... SPIDI max washer
- 5... fixing element (depending on wall condition)
- 6... insulation with insulation support
- 7... ventilation
- 8... support profile (T-profile 60 mm width)
- 9... self-drilling screw
- 10... adapter for cassette mounting
- 11... facade cladding
- 12... self-drilling screw
- 13... perforated sheet
- d... cladding height
- y... Nietrandabstand  
(in accordance with the cladding material supplier)

## VMB-BZ1.1-2.03 window lintel - section vertical

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic illustration" This is NOT an installation manual or mounting instruction; it merely illustrates the product. This applies in particular to all graphic images. They serve as an example and do not represent any grounds for liability, warranty, or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. All installation works carried out on the job site must be performed according to the requirements of system suppliers! The product is subject to modifications due to technical progress. Misprints and errors reserved. Our General Terms and Conditions apply. (c) Slavonia Baubedarf GmbH.


# facade system



- 1... building structure
- 2... SPIDI max Thermostop (premounted)
- 3... SPIDI max bracket
- 4... SPIDI max washer
- 5... fixing element (depending on wall condition)
- 6... insulation with insulation support
- 7... ventilation
- 8... support profile (T-profile 60 mm width)
- 9... self-drilling screw
- 10... adapter for cassette mounting
- 11... facade cladding
- 12... self-drilling screw
- 13... perforated sheet
- d... cladding height

## VMB-BZ1.1-2.04 window sill - section vertical


SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic illustration" This is NOT an installation manual or mounting instruction; it merely illustrates the product. This applies in particular to all graphic images. They serve as an example and do not represent any grounds for liability, warranty, or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. All installation works carried out on the job site must be performed according to the requirements of system suppliers! The product is subject to modifications due to technical progress. Misprints and errors reserved. Our General Terms and Conditions apply. (c) Slavonia Baubedarf GmbH.



- 1... building structure
- 2... SPIDI max Thermostop (premounted)
- 3... SPIDI max bracket
- 4... SPIDI max washer
- 5... fixing element (depending on wall condition)
- 6... insulation with insulation support
- 7... ventilation
- 8... support profile (T-profile 60 mm width)
- 9... self-drilling screw
- 10... adapter for cassette mounting
- 11... facade cladding
- 12... self-drilling screw
- d... cladding height
- x... joint width

## VMB-BZ1.1-2.05 window reveal - section horizontal

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic illustration" This is NOT an installation manual or mounting instruction; it merely illustrates the product. This applies in particular to all graphic images. They serve as an example and do not represent any grounds for liability, warranty, or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. All installation works carried out on the job site must be performed according to the requirements of system suppliers! The product is subject to modifications due to technical progress. Misprints and errors reserved. Our General Terms and Conditions apply. (c) Slavonia Baubedarf GmbH.




- 1... building structure
- 2... SPIDI max Thermostop (premounted)
- 3... SPIDI max bracket
- 4... SPIDI max washer
- 5... fixing element (depending on wall condition)
- 6... insulation with insulation support
- 7... ventilation

- 8... support profile (T-profile 60 mm width)
- 9... self-drilling screw
- 10... adapter for cassette mounting
- 11... facade cladding
- 12... self-drilling screw
- 13... perforated sheet
- d... cladding height

## VMB-BZ1.1-2.06 parapet cladding - section vertical

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic illustration" This is NOT an installation manual or mounting instruction; it merely illustrates the product. This applies in particular to all graphic images. They serve as an example and do not represent any grounds for liability, warranty, or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. All installation works carried out on the job site must be performed according to the requirements of system suppliers! The product is subject to modifications due to technical progress. Misprints and errors reserved. Our General Terms and Conditions apply. (c) Slavonia Baubedarf GmbH.


# facade system



- 1... building structure
- 2... SPIDI max Thermostop (premounted)
- 3... SPIDI max bracket
- 4... SPIDI max washer
- 5... fixing element (depending on wall condition)
- 6... insulation with insulation support
- 7... ventilation
- 8... support profile (T-profile 60 mm width)
- 9... self-drilling screw
- 10... adapter for cassette mounting
- 11... facade cladding
- 12... self-drilling screw
- 13... perforated sheet
- d... cladding height

## VMB-BZ1.1-2.07 plinth - section vertical

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic illustration" This is NOT an installation manual or mounting instruction; it merely illustrates the product. This applies in particular to all graphic images. They serve as an example and do not represent any grounds for liability, warranty, or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. All installation works carried out on the job site must be performed according to the requirements of system suppliers! The product is subject to modifications due to technical progress. Misprints and errors reserved. Our General Terms and Conditions apply. (c) Slavonia Baubedarf GmbH.




- 1... building structure
- 2... SPIDI max Thermostop (premounted)
- 3... SPIDI max bracket
- 4... SPIDI max washer
- 5... fixing element (depending on wall condition)
- 6... insulation with insulation support
- 7... ventilation

- 8... support profile (T-profile 60 mm width)
- 9... self-drilling screw
- 10... adapter for cassette mounting
- 11... facade cladding
- 12... self-drilling screw
- d... cladding height

## VMB-BZ1.1-2.08 internal corner - section horizontal

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic illustration" This is NOT an installation manual or mounting instruction; it merely illustrates the product. This applies in particular to all graphic images. They serve as an example and do not represent any grounds for liability, warranty, or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. All installation works carried out on the job site must be performed according to the requirements of system suppliers! The product is subject to modifications due to technical progress. Misprints and errors reserved. Our General Terms and Conditions apply. (c) Slavonia Baubedarf GmbH.

# facade system



- 1... building structure
- 2... SPIDI max Thermostop (premounted)
- 3... SPIDI max bracket
- 4... SPIDI max washer
- 5... fixing element (depending on wall condition)
- 6... insulation with insulation support
- 7... ventilation
- 8... support profile (T-profile 60 mm width)
- 9... self-drilling screw
- 10... adapter for cassette mounting
- 11... facade cladding
- 12... self-drilling screw
- d... cladding height
- x... joint width

## VMB-BZ1.1-2.09 external corner - section horizontal

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic illustration" This is NOT an installation manual or mounting instruction; it merely illustrates the product. This applies in particular to all graphic images. They serve as an example and do not represent any grounds for liability, warranty, or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. All installation works carried out on the job site must be performed according to the requirements of system suppliers! The product is subject to modifications due to technical progress. Misprints and errors reserved. Our General Terms and Conditions apply. (c) Slavonia Baubedarf GmbH.