

Ventilated facade

VMB-GF1

LivingPanels Greenfacade

concealed fixed with
rail system onto 2-layer




metal substructure

Contents:

VMB-GF1-1.01	Presentation of the system - partial view
VMB-GF1-1.02	Tolerance compensation - fixed/sliding point
VMB-GF1-2.01	System section horizontal
VMB-GF1-2.02	System section vertical
VMB-GF1-2.03	Window intel
VMB-GF1-2.04	Window sill
VMB-GF1-2.05	Window reveal
VMB-GF1-2.06	Attica cladding
VMB-GF1-2.07	Plinth
VMB-GF1-2.08	Internal corner
VMB-GF1-2.09	External corner
VMB-GF1-2.10	Joint of profile
VMB-GF1-2.11	Building extension joint

The installation works on job site have to be performed according to the requirements of all system suppliers!

Facade System



- 1... Wall
- 2... SPIDI max Thermostop (preassembled)
- 3... SPIDI max wall bracket
- 4... SPIDI max washer
- 5... Fixing element (according to wall condition)
- 6... Insulation
- 8... Support profile vertical
- 9... Self drilling screw
- 10... Support profile horizontal
- 11... Self drilling screw
- 12... Facade cladding

C... profile distance
 e... brackets distance
 ea. brackets distance


VMB-GF1-1.01 Presentation of the system - partial view

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic Drawing" This document is NOT an installation manual (assembly instruction), but merely serves to illustrate the product. This applies in particular to all graphic images. They are solely of an exemplary nature and do not represent any grounds for liability, warranty or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. Product modifications within the scope of technical progress reserved. Misprints and errors reserved. Our General Terms of Business apply. (c) Slavonia Baubedarf GmbH.


Facade System




TOLERANCE COMPENSATION



SLIDING POINT



FIXED POINT




SPIDI max wall bracket		SPIDI max wall bracket	
description	length L	description	length L
SPIDI max 65/80	65	SPIDI max 480/80	480
SPIDI max 85/80	85	SPIDI max 510/80	510
SPIDI max 110/80	110	SPIDI max 540/80	540
SPIDI max 135/80	135	SPIDI max 570/80	570
SPIDI max 160/80	160	SPIDI max 600/80	600
SPIDI max 170/80	170	SPIDI max 630/80	630
SPIDI max 185/80	185	SPIDI max 660/80	660
SPIDI max 210/80	210	SPIDI max 690/80	690
SPIDI max 240/80	240	SPIDI max 720/80	720
SPIDI max 270/80	270	SPIDI max 750/80	750
SPIDI max 300/80	300	SPIDI max 780/80	780
SPIDI max 330/80	330	SPIDI max 810/80	810
SPIDI max 360/80	360	SPIDI max 840/80	840
SPIDI max 390/80	390	SPIDI max 870/80	870
SPIDI max 420/80	420	SPIDI max 900/80	900
SPIDI max 450/80	450	special length	on request

VMB-GF1-1.02 Tolerance compensation - fixed/sliding point

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic Drawing" This document is NOT an installation manual (assembly instruction), but merely serves to illustrate the product. This applies in particular to all graphic images. They are solely of an exemplary nature and do not represent any grounds for liability, warranty or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. Product modifications within the scope of technical progress reserved. Misprints and errors reserved. Our General Terms of Business apply. (c) Slavonia Baubedarf GmbH.

Facade System




d... board thickness

- 1... Wall
- 2... SPIDI max Thermostop (preassembled)
- 3... SPIDI max wall bracket
- 4... SPIDI max wall washer
- 5... Fixing element (according to wall condition)
- 6... Insulation
- 7... Ventiladed cavity
- 8... Support profile vertical
- 9... Self drilling screw
- 10... Support profile horizontal
- 11... Self drilling screw
- 12... Facade cladding

VMB-GF1-2.01 System section horizontal

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic Drawing" This document is NOT an installation manual (assembly instruction), but merely serves to illustrate the product. This applies in particular to all graphic images. They are solely of an exemplary nature and do not represent any grounds for liability, warranty or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. Product modifications within the scope of technical progress reserved. Misprints and errors reserved. Our General Terms of Business apply. (c) Slavonia Baubedarf GmbH.

Facade System




d... board thickness
x... joints

- 1... Wall
- 2... SPIDI max Thermostop (preassembled)
- 3... SPIDI max wall bracket
- 4... SPIDI max washer
- 5... Fixing element (according to wall condition)
- 6... Insulation
- 7... Ventiladed cavity
- 8... Support profile vertical
- 9... Self drilling screw
- 10... Support profile horizontal
- 11... Self drilling screw
- 12... Facade cladding

VMB-GF1-2.02 System section vertical

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic Drawing" This document is NOT an installation manual (assembly instruction), but merely serves to illustrate the product. This applies in particular to all graphic images. They are solely of an exemplary nature and do not represent any grounds for liability, warranty or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. Product modifications within the scope of technical progress reserved. Misprints and errors reserved. Our General Terms of Business apply. (c) Slavonia Baubedarf GmbH.


Facade System



VMB-GF1-2.03 Window intel

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic Drawing" This document is NOT an installation manual (assembly instruction), but merely serves to illustrate the product. This applies in particular to all graphic images. They are solely of an exemplary nature and do not represent any grounds for liability, warranty or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. Product modifications within the scope of technical progress reserved. Misprints and errors reserved. Our General Terms of Business apply. (c) Slavonia Baubedarf GmbH.


Facade System



VMB-GF1-2.04 Window sill

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic Drawing" This document is NOT an installation manual (assembly instruction), but merely serves to illustrate the product. This applies in particular to all graphic images. They are solely of an exemplary nature and do not represent any grounds for liability, warranty or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. Product modifications within the scope of technical progress reserved. Misprints and errors reserved. Our General Terms of Business apply. (c) Slavonia Baubedarf GmbH.

Facade System




d... board thickness

- 1... Wall
- 2... SPIDI max Thermostop (preassembled)
- 3... SPIDI max wall bracket
- 4... SPIDI max washer
- 5... Fixing element (according to wall condition)
- 6... Insulation
- 7... Ventilated cavity
- 8... Support profile vertical
- 9... Self drilling screw
- 10... Support profile horizontal
- 11... Self drilling screw
- 12... Facade cladding

VMB-GF1-2.05 Window reveal

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic Drawing" This document is NOT an installation manual (assembly instruction), but merely serves to illustrate the product. This applies in particular to all graphic images. They are solely of an exemplary nature and do not represent any grounds for liability, warranty or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. Product modifications within the scope of technical progress reserved. Misprints and errors reserved. Our General Terms of Business apply. (c) Slavonia Baubedarf GmbH.

Facade System




d... board thickness
 z... distance of fastening to edge - vertical
 (in accordance to cladding material supplier)

- 1... Wall
- 2... SPIDI max Thermostop (preassembled)
- 3... SPIDI max wall bracket
- 4... SPIDI max washer
- 5... Fixing element (according to wall condition)
- 6... Insulation
- 7... Ventilated cavity
- 8... Support profile vertical
- 9... Self drilling screw
- 10... Support profile horizontal
- 11... Self drilling screw
- 12... Facade cladding
- 13... perforated sheet

VMB-GF1-2.07 Plinth

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic Drawing" This document is NOT an installation manual (assembly instruction), but merely serves to illustrate the product. This applies in particular to all graphic images. They are solely of an exemplary nature and do not represent any grounds for liability, warranty or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. Product modifications within the scope of technical progress reserved. Misprints and errors reserved. Our General Terms of Business apply. (c) Slavonia Baubedarf GmbH.

Facade System




- | | |
|---|----------------------------------|
| 1... Wall | 9... Self drilling screw |
| 2... SPIDI max Thermostop (preassembled) | 10... Support profile horizontal |
| 3... SPIDI max wall bracket | 11... Self drilling screw |
| 4... SPIDI max washer | 12... Facade cladding |
| 5... Fixing element (according to wall condition) | |
| 6... Insulation | |
| 7... Ventilated cavity | d... board thickness |
| 8... Support profile vertical | x... joints |

VMB-GF1-2.08 Internal corner

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic Drawing" This document is NOT an installation manual (assembly instruction), but merely serves to illustrate the product. This applies in particular to all graphic images. They are solely of an exemplary nature and do not represent any grounds for liability, warranty or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. Product modifications within the scope of technical progress reserved. Misprints and errors reserved. Our General Terms of Business apply. (c) Slavonia Baubedarf GmbH.

Facade System




- | | |
|---|---------------------------|
| 1... Wall | 11... Self drilling screw |
| 2... SPIDI max Thermostop (preassembled) | 12... Facade cladding |
| 3... SPIDI max wall bracket | |
| 4... SPIDI max washer | |
| 5... Fixing element (according to wall condition) | |
| 6... Insulation | d... board thickness |
| 7... Ventilated cavity | x... joints |
| 8... Support profile vertical | |
| 9... Self drilling screw | |
| 10... Support profile horizontal | |

VMB-GF1-2.09 External corner

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic Drawing" This document is NOT an installation manual (assembly instruction), but merely serves to illustrate the product. This applies in particular to all graphic images. They are solely of an exemplary nature and do not represent any grounds for liability, warranty or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. Product modifications within the scope of technical progress reserved. Misprints and errors reserved. Our General Terms of Business apply. (c) Slavonia Baubedarf GmbH.

Facade System




- | | |
|---|---------------------------|
| 1... Wall | 11... Self drilling screw |
| 2... SPIDI max Thermostop (preassembled) | 12... Facade cladding |
| 3... SPIDI max wall bracket | |
| 4... SPIDI max washer | |
| 5... Fixing element (according to wall condition) | d... board thickness |
| 6... Insulation | x... joints |
| 7... Ventilated cavity | |
| 8... Support profile vertical | |
| 9... Self drilling screw | |
| 10... Support profile horizontal | |

VMB-GF1-2.10 Joint of profile

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic Drawing" This document is NOT an installation manual (assembly instruction), but merely serves to illustrate the product. This applies in particular to all graphic images. They are solely of an exemplary nature and do not represent any grounds for liability, warranty or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. Product modifications within the scope of technical progress reserved. Misprints and errors reserved. Our General Terms of Business apply. (c) Slavonia Baubedarf GmbH.

Facade System



- 1... Wall
- 2... SPIDI max Thermostop (preassembled)
- 3... SPIDI max wall bracket
- 4... SPIDI max washer
- 5... Fixing element (according to wall condition)
- 6... Insulation
- 7... Ventilated cavity
- 8... Support profile vertical
- 9... Self drilling screw
- 10... Support profile horizontal
- 11... Self drilling screw
- 12... Facade cladding

d... board thickness
x... joints

VMB-GF1-2.11 Building extension joint

SPIDI® is a registered trademark of Slavonia Baubedarf GmbH, Vienna. "Schematic Drawing" This document is NOT an installation manual (assembly instruction), but merely serves to illustrate the product. This applies in particular to all graphic images. They are solely of an exemplary nature and do not represent any grounds for liability, warranty or other claims. Our engineers MUST be consulted prior to installation in order to ensure that the product is duly and properly installed. Product modifications within the scope of technical progress reserved. Misprints and errors reserved. Our General Terms of Business apply. (c) Slavonia Baubedarf GmbH.